

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1-8. (Canceled)

9. (Previously Presented) A method of retrieving a file comprising HTML and having a filename, the method comprising, responsive to a request to retrieve the file:
retrieving the file;
retrieving a shadow file having a filename comprising the filename of the file and containing information about the file but not contained in the file;
accessing a parameter associated with the shadow file to determine that the shadow file is to be displayed; and
displaying one or more items of information included in the shadow file based on the parameter.

10. (Canceled)

11. (Previously Presented) A system for storing a file and information related to the file and not contained in the file, comprising:
at least one editor having an input operatively coupled for receiving information to be contained in the file, the at least one editor for providing at an output a user interface for receiving said information and for providing said information at the at least one editor output, wherein the information comprises computer code;
a shadow file keys/values manager having an input operatively coupled for receiving in a web authoring tool the information related to the file and not contained in the file, the shadow

file keys/values manager providing at an output a user interface for receiving said information related to the file and not contained in the file and for providing at the shadow file keys/values manager output said information related to the file and not contained in the file, wherein the information related to the file and not contained in the file describes an attribute of the computer code;

a file builder having an input coupled to the at least one editor output, the file builder for building the file responsive to the information received at the file builder input and for storing the file via an output; and

a shadow file builder having an input coupled to the shadow file keys/values manager for receiving the information related to the file and not contained in the file, the shadow file builder for building a shadow file responsive to said information related to the file and not contained in the file and for storing in said shadow file, different from the file, via an output.

12. (Original) The system of claim 11 wherein shadow file builder builds the shadow file using at least one XML tag.

13. (Original) The system of claim 11 wherein the file comprises HTML code.

14. (Previously presented) The system of claim 11 additionally comprising:

a file manager having an input operatively coupled for receiving a request to open the file, the file manager for, via an input/output, opening the file responsive to the request and for providing at an output a signal to display the shadow file; and

wherein the shadow file keys/values manager additionally has a signal input coupled to the file manager signal output for receiving the signal, the shadow file keys/values manager additionally for automatically displaying via the shadow file keys/values manager output at least a portion of the information related to the file in the shadow file responsive to the request.

15. (Original) The system of claim 11 additionally comprising a file manager having an input operatively coupled for receiving a request to move the file to a destination, the file manager for automatically moving via an input/output at least a portion of the shadow file to the destination responsive to the request.

16. (Original) The system of claim 11 wherein the shadow file comprises a name corresponding to a name of the file.

17. (Original) The system of claim 16 wherein the shadow file name comprises the file name.

18. (Original) The system of claim 11 wherein the at least one editor comprises at least a portion of Adobe GoLive.

19. (Previously Presented) A system for retrieving a file comprising HTML and having a filename, the system comprising:

a file manager having an input operatively coupled for receiving an identifier of the file, the file manager for, responsive to the identifier of the file received at the input retrieving via an input/output the file and a shadow file having a filename comprising the filename of the file and containing information about the file, the information about the file not being contained in the file; and

a shadow file manager configured to access a parameter associated with the shadow file to determine that the shadow file is to be displayed and to display one or more items of information included in the shadow file based on the parameter.

20-28. (Canceled)

29. (Previously Presented) A computer program product comprising a computer useable medium having computer readable program code embodied therein for retrieving a file comprising HTML and having a filename, the computer program product comprising computer readable program code devices configured to cause a computer to, responsive to a request to retrieve the file:

retrieve the file;

retrieve a shadow file having a filename comprising the filename of the file and containing information about the file, the information about the file not being contained in the file;

access a parameter associated with the shadow file to determine that the shadow file is to be displayed; and

display one or more items of information included in the shadow file based on the parameter.

30. (Canceled)

31. (Previously Presented) A method comprising:

receiving by a web authoring tool first information to be contained in a first file, the first information comprising computer source code;

receiving by the web authoring tool second information characterizing one or more attributes of the computer source code;

storing in the first file the first information but not the second information; and

storing in a second file, distinct from the first file, the second information.

32. (Previously presented) The method of claim 31 wherein the second information is stored in the second file using at least one XML tag.

33. (Previously presented) The method of claim 31 wherein the computer source code comprises HTML code.

34. (Previously presented) The method of claim 31 further comprising:
receiving a request to open the first file; and
automatically displaying at least a portion of the second information responsive to the request.

35. (Previously presented) The method of claim 31 further comprising:
receiving a request to move the first file to a destination; and
automatically moving at least a portion of the second file to the destination responsive to the request.

36. (Previously presented) The method of claim 31 wherein the second file comprises a name corresponding to a name of the first file.

37. (Previously presented) The method of claim 36 wherein the second file name comprises the first file name.

38. (Previously presented) The method of claim 31 wherein the web authoring tool comprises at least a portion of Adobe GoLive.

39. (Previously Presented) A computer program product comprising a computer useable medium having computer readable program code embodied therein for storing a file and information related to the file and not contained in the file, the computer program product comprising computer readable program code devices configured to cause a computer to:
receive by a web authoring tool first information to be contained in a first file, the first information comprising computer source code;
receive by the web authoring tool second information characterizing one or more attributes of the computer source code;

store in the first file the first information but not the second information; and
store in a second file, distinct from the first file, the second information.

40. (Previously presented) The computer program product of claim 39 wherein the second information is stored in the second file using at least one XML tag.

41. (Previously presented) The method of claim 39 wherein the computer source code comprises HTML code.

42. (Previously presented) The computer program product of claim 39 further comprising computer readable program code devices configured to cause the computer to:
receive a request to open the first file; and
automatically display at least a portion of the second information responsive to the request.

43. (Previously presented) The computer program product of claim 39 further comprising computer readable program code devices configured to cause the computer to:
receive a request to move the first file to a destination; and
automatically move at least a portion of the second file to the destination responsive to the request.

44. (Previously presented) The computer program product of claim 39 wherein the second file comprises a name corresponding to a name of the first file.

45. (Previously presented) The computer program product of claim 44 wherein the second file name comprises the first file name.

46. (Previously presented) The computer program product of claim 39 wherein the web authoring tool comprises at least a portion of Adobe GoLive.

47. (Previously Presented) The method of claim 9, wherein the one or more items of information included in the shadow file are displayed in a separate window.

48. (Previously Presented) The method of claim 9, wherein the parameter is stored in the shadow file.

49. (Previously Presented) The system of claim 11, wherein the information related to the file and not contained in the file comprises a key and a corresponding value.

50. (Previously Presented) The system of claim 49, wherein the key is one of author, status, and notes.

51. (Previously Presented) The system of claim 19, wherein the one or more items of information included in the shadow file are displayed in a separate window.

52. (Previously Presented) The system of claim 19, wherein the parameter is stored in the shadow file.

53. (Previously Presented) The computer program product of claim 29, wherein computer readable program code devices are further configured to cause a computer to display the one or more items of information included in the shadow file in a separate window.

54. (Previously Presented) The computer program product of claim 29, wherein the parameter is stored in the shadow file.

55. (Previously Presented) The method of claim 31, wherein the second information comprises a key and a corresponding value.

56. (Previously Presented) The method of claim 55, wherein the key is one of author, status, and notes.

57. (Previously Presented) The computer program product of claim 39, wherein the second information comprises a key and a corresponding value.

58. (Previously Presented) The computer program product of claim 57, wherein the key is one of author, status, and notes.